



SAFETY DATA SHEET

Issue Date 28-May-2015

Revision Date 13-Jan-2025

Version 7

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Zirconium Sponge (distilled)
Product Code SAC002

Other means of identification

UN/ID No. 3089
Synonyms All quality grades of zirconium sponge (distilled), Kroll Process Zirconium Metal (Product #302), including but not limited to item numbers: 1000087, 1000087NR, 1000344, 1017035, 1017059, 1017215, 1017218

Registration Number(s)

Recommended use of the chemical and restrictions on use

Recommended Use Alloy product manufacture

Uses advised against

Details of the supplier of the safety data sheet

Manufacturer

ATI Specialty Alloys & Components, 1600 Old Salem Rd NE, Albany, OR 97321 USA ATI SDS Manager: +1-412-225-4911

Emergency telephone number

Emergency Telephone Chemtrec +1 703-741-5970

Section 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Flammable solids	Category 2
------------------	------------

Label elements

Emergency Overview

Signal word Danger

Hazard statements

Flammable solid



Appearance Sponge	Physical state Solid	Odor Odorless
--------------------------	-----------------------------	----------------------

Precautionary Statements - Prevention

- Wear protective gloves/eye protection/face protection
- Keep away from heat/sparks/open flames/hot surfaces. - No smoking
- Ground/bond container and receiving equipment
- If dust clouds can occur, use explosion-proof electrical/ ventilating/lighting/equipment

Precautionary Statements - Response

- In case of fire: Use salt (NaCl) or class D dry powder for extinction

Precautionary Statements - Storage**Precautionary Statements - Disposal****Other Information**

Hazards not otherwise classified (HNOc)

- Not applicable

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**Synonyms**

All quality grades of zirconium sponge (distilled), Kroll Process Zirconium Metal (Product #302), including but not limited to item numbers: 1000087, 1000087NR, 1000344, 1017035, 1017059, 1017215, 1017218

Chemical Name	Weight-%	ENCS	ISHL No.	CAS No.
Zirconium 7440-67-7	>99	-	-	7440-67-7

Chemical Name	Poisonous and Deleterious Substances Control Law	
Zirconium 7440-67-7	-	
Chemical Name	Class 1	Class 2
Zirconium 7440-67-7	-	-

Section 4: FIRST AID MEASURES

Inhalation	If excessive amounts of smoke, fume, or particulate are inhaled during processing, remove to fresh air and consult a qualified health professional.
Skin Contact	None under normal use conditions.
Eye contact	In the case of particles coming in contact with eyes during processing, treat as with any foreign object.
Ingestion	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
Symptoms	None anticipated.
Inhalation	Product not classified.
Skin Contact	Product not classified.
Eye contact	Product not classified.
Ingestion	Product not classified.
Note to physicians	Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Flammable properties	Flammable.
Explosive properties	Not applicable.
Suitable extinguishing media	Isolate large fires and allow to burn out. Smother small fires with salt (NaCl) or class D dry powder fire extinguisher.
Unsuitable extinguishing media	Do not spray water on burning metal as an explosion may occur. This explosive characteristic is caused by the hydrogen and steam generated by the reaction of water with the burning material.
Specific hazards arising from the chemical	Intense heat. Very fine, high surface area material resulting from processing this product may ignite spontaneously at room temperature. WARNING: Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimize combustible dust hazard.
Hazardous combustion products	Not applicable.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions	Use personal protective equipment as required.
For emergency responders	Use personal protective equipment as required. Follow Emergency Response Guidebook, Guide No. 170.
Environmental precautions	Collect spillage to prevent release to the environment.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Sweep or shovel material into dry containers using non-sparking tools. Avoid creating uncontrolled dust.

Section 7: HANDLING AND STORAGE

Handling

Advice on safe handling Very fine, high surface area material resulting from processing this product may ignite spontaneously at room temperature. WARNING: Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimize combustible dust hazard.

Storage

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). For long-term storage, keep sealed in argon-filled steel drums.

Incompatible materials Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, and freon.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	Japan	ISHL Working Environmental Evaluation Standards - Administrative Control Levels	ACGIH TLV
Zirconium	-	-	STEL: 10 mg/m ³ STEL: 10

7440-67-7			mg/m ³ Zr TWA: 5 mg/m ³ TWA: 5 mg/m ³ Zr
-----------	--	--	---

Derived No Effect Level (DNEL)**Engineering Controls**

Avoid generation of uncontrolled particles.

Personal Protective Equipment**Respiratory protection**

When particulates/fumes/gases are generated and if exposure limits are exceeded or irritation is experienced, proper approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Eye/face protection

When airborne particles may be present, appropriate eye protection is recommended. For example, tight-fitting goggles, foam-lined safety glasses or other protective equipment that shield the eyes from particles.

Skin and body protection

Fire/flame resistant/retardant clothing may be appropriate during hot work with the product. Cut-resistant gloves and/or protective clothing may be appropriate when sharp surfaces are present.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid	Odor	Odorless
Appearance	Sponge	Odor threshold	Not applicable
Color	Metallic gray or silver		
Property	Values	Remarks • Method	
pH	-	Not applicable	
Melting point / freezing point	1850 °C / 3360 °F		
Boiling point / boiling range	-		
Flash point	-		
Evaporation rate	-	Not applicable	
Flammability (solid, gas)	-	Flammable	
Flammability Limit in Air			
Upper flammability limit:	-		
Lower flammability limit:	-		
Vapor pressure	-	Not applicable	
Vapor density	-	Not applicable	
Specific Gravity	6.49		
Water solubility	Insoluble		
Solubility(ies)		-	
Partition coefficient	-	Not applicable	
Autoignition temperature	-	Not applicable	
Decomposition temperature	-	Not applicable	
Kinematic viscosity	-	Not applicable	
Dynamic viscosity	-	Not applicable	
Explosive properties	Not applicable		
Oxidizing properties	Not applicable		
Softening point	-		
Molecular weight	-		
VOC Content (%)	Not applicable		
Density	-		
Bulk density	-		

Section 10: STABILITY AND REACTIVITY

Reactivity

Not applicable

Stability	Stable under normal conditions.
Explosion data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	May be ignited by heat, sparks or flames.
Possibility of Hazardous Reactions	None under normal processing
Hazardous polymerization	Hazardous polymerization does not occur
Conditions to avoid	Dust formation and dust accumulation
Incompatible materials	Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, and freon.
Hazardous Decomposition Products	Not applicable

Section 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Product not classified.
Eye contact	Product not classified.
Skin Contact	Product not classified.
Ingestion	Product not classified.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zirconium 7440-67-7	> 5000 mg/kg bw	-	>4.3 mg/L

Information on toxicological effects

Symptoms None known.

Acute toxicity

Numerical measures of toxicity - Product Information

Numerical measures of toxicity - Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zirconium	> 5000 mg/kg bw	-	>4.3 mg/L

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Product not classified.
Serious eye damage/eye irritation	Product not classified.
Sensitization	Product not classified.

Germ cell mutagenicity Product not classified.

Carcinogenicity Product not classified.

Chemical Name	Japan	IARC
Zirconium 7440-67-7		-

Reproductive toxicity Product not classified.

STOT - single exposure Product not classified.

STOT - repeated exposure Product not classified.

Target Organ Effects

Aspiration hazard Product not classified.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

This product as shipped is not classified for aquatic toxicity.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Zirconium	<i>The 14 d NOEC of zirconium dichloride oxide to Chlorella vulgaris was greater than 102.5 mg of Zr/L.</i>	<i>The 96 h LL50 of zirconium to Danio rerio was greater than 74.03 mg/L.</i>	-	<i>The 48 h EC50 of zirconium dioxide to Daphnia magna was greater than 74.03 mg of Zr/L.</i>

Persistence and degradability

Bioaccumulation

Mobility

Other adverse effects

Chemical Name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Zirconium	-	-	-

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues/unused products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

UN Number 3089
Packing Group III
Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)

Hazard Class 4.1
Special Provisions IB6, T1, TP33

IMDG

Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)
Hazard Class 4.1
UN/ID No. 3089
Packing Group III
Special Provisions IB6, T1, TP33

ICAO (air)

UN/ID No. 3089
Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)
Hazard Class 4.1
Packing Group III
Special Provisions IB6, T1, TP33

ADR

UN/ID No. 3089
Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)
Hazard Class 4.1
Packing Group III
ERG Code 170
Special Provisions IB6, T1, TP33

IATA

UN/ID No. 3089
Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)
Hazard Class 4.1
Packing Group III
Special Provisions IB6, T1, TP33

Japan

UN Number 3089
 Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)
 Hazard Class 4.1
 Packing Group III
 Special Provisions IB6, T1, TP33

Section 15: REGULATORY INFORMATION

International Inventories

DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

Chemical Name	Dangerous Substances	organic solvents	Harmful Substances Whose Names Are	ISHL - Prevention of Hazards Due to Specified	Prevention of Lead Poisoning

			to be Indicated on the Label	Chemical Substances (Class 2)	
Zirconium 7440-67-7	>1 %	Not applicable	Not applicable	-	-

Chemical Name	Class 2	Class 1	Poisonous and Deleterious Substances Control Law	Fire Service Law:
Zirconium 7440-67-7	-	-	Not applicable	Class 2

Fire Service Law: -

Section 16: OTHER INFORMATION

Issue Date 28-May-2015
Revision Date 13-Jan-2025
Revision Note SDS sections updated: 1, 7.

Key or legend to abbreviations and acronyms used in the safety data sheet

Note:

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan)
The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Additional information available from: Safety data sheets and labels available at ATImaterials.com