

SAFETY DATA SHEET

Issue Date 28-May-2015 Revision Date 13-Jan-2025 Version 7

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Zirconium Sponge (distilled)

Other means of identification

Product Code SAC002 UN/ID No. 3089

Synonyms All quality grades of zirconium sponge (distilled), Kroll Process Zirconium Metal (Product

#302), including but not limited to item numbers: 1000087, 1000087NR, 1000344, 1017035,

1017059, 1017215, 1017218

Recommended use of the chemical and restrictions on use
Recommended Use
Alloy product manufacture.

Uses advised against

Details of the supplier of the safety data sheet

Manufacturer Address

ATI Specialty Alloys & Components, 1600 Old Salem Rd NE, Albany, OR 97321 USA

Emergency telephone number

Company Phone Number ATI SDS Manager: 1-412-225-4911

Emergency Telephone Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids Category 2

Label elements

Emergency Overview

Danger

Flammable solid



Appearance Sponge Physical state Solid Odor Odorless

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection

, ,

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Ground/bond container and receiving equipment

If dust clouds can occur, use explosion-proof electrical/ventilating/lighting/equipment

Precautionary Statements - Response

In case of fire: Use salt (NaCl) or class D dry powder for extinction

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms All quality grades of zirconium sponge (distilled), Kroll Process Zirconium Metal (Product

#302), including but not limited to item numbers: 1000087, 1000087NR, 1000344, 1017035,

1017059, 1017215, 1017218

Chemical Name	CAS No.	Weight-%	
Zirconium	7440-67-7	>99	

4. FIRST AID MEASURES

First aid measures

Eye contact In the case of particles coming in contact with eyes during processing, treat as with any

foreign object.

Skin ContactNone under normal use conditions.

Inhalation If excessive amounts of smoke, fume, or particulate are inhaled during processing, remove

to fresh air and consult a qualified health professional.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms None anticipated.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Isolate large fires and allow to burn out. Smother small fires with salt (NaCl) or class D dry powder fire extinguisher.

Unsuitable extinguishing media Do not spray water on burning metal as an explosion may occur. This explosive

characteristic is caused by the hydrogen and steam generated by the reaction of water with

the burning material.

Specific hazards arising from the chemical

Intense heat. Very fine, high surface area material resulting from processing this product may ignite spontaneously at room temperature. WARNING: Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all

North America; English

Revision Date 13-Jan-2025

Revision Date 13-Jan-2025

ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimize combustible dust hazard.

Hazardous combustion products Not applicable.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge May be ignited by heat, sparks or flames.

Protective equipment and precautions for firefighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsUse personal protective equipment as required.

For emergency responders

Use personal protective equipment as required. Follow Emergency Response Guidebook,

Guide No. 170.

Environmental precautions

Environmental precautionsCollect spillage to prevent release to the environment.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Sweep or shovel material into dry containers using non-sparking tools. Avoid creating

uncontrolled dust.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Very fine, high surface area material resulting from processing this product may ignite

spontaneously at room temperature. WARNING: Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimize combustible dust hazard.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). For long-term storage, keep sealed in argon-filled steel drums.

Incompatible materialsDissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above

200°C, reacts exothermically with the following:. chlorine, bromine, halocarbons, carbon

tetrachloride, carbon tetrafluoride, and freon.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL
Zirconium	STEL: 10 mg/m ³ STEL: 10 mg/m ³ Zr	TWA: 5 mg/m³ Zr
7440-67-7	TWA: 5 mg/m³ TWA: 5 mg/m³ Zr	(vacated) STEL: 10 mg/m³ (vacated) STEL:
		10 mg/m³ Zr

Appropriate engineering controls

Engineering Controls Avoid generation of uncontrolled particles.

Individual protection measures, such as personal protective equipment

Eye/face protection When airborne particles may be present, appropriate eye protection is recommended. For

example, tight-fitting goggles, foam-lined safety glasses or other protective equipment that

shield the eyes from particles.

Skin and body protection Fire/flame resistant/retardant clothing may be appropriate during hot work with the product.

Cut-resistant gloves and/or protective clothing may be appropriate when sharp surfaces are

present.

Respiratory protection When particulates/fumes/gases are generated and if exposure limits are exceeded or

irritation is experienced, proper approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

AppearanceSpongeOdorOdorlessColorMetallic gray or silverOdor thresholdNot applicable

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH - Not applicable

Melting point / freezing point 1850 °C / 3360 °F Boiling point / boiling range -

Flash point -

Evaporation rate - Not applicable Flammability (solid, gas) - Flammable

Flammability Limit in Air

Upper flammability limit: Lower flammability limit: -

Vapor pressure-Not applicableVapor density-Not applicable

Specific Gravity 6.49
Water solubility Insoluble

Solubility in other solvents -

Partition coefficient-Not applicableAutoignition temperature-Not applicableDecomposition temperature-Not applicableKinematic viscosity-Not applicableDynamic viscosity-Not applicableNot applicableNot applicable

Explosive properties Not applicable Oxidizing properties Not applicable

Other Information

Softening point -

Molecular weight -

VOC Content (%) Not applicable

Density Bulk density -

Revision Date 13-Jan-2025

10. STABILITY AND REACTIVITY

Reactivity

Not applicable

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Dust formation and dust accumulation.

Incompatible materials

Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, and freon.

Hazardous Decomposition Products

Not applicable.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Product not classified.

Eye contact Product not classified.

Skin Contact Product not classified.

Ingestion Product not classified.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zirconium	> 5000 mg/kg bw	-	>4.3 mg/L
7440-67-7			

Information on toxicological effects

Symptoms None known.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity
Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitization
Germ cell mutagenicity
Carcinogenicity
Product not classified.

Reproductive toxicity Product not classified.
STOT - single exposure Product not classified.
STOT - repeated exposure Product not classified.

Target Organ Effects

Aspiration hazard Product not classified.

12. ECOLOGICAL INFORMATION

Ecotoxicity

This product as shipped is not classified for aquatic toxicity.

	Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
L				microorganisms	
Γ	Zirconium	The 14 d NOEC of zirconium	The 96 h LL50 of zirconium	-	The 48 h EC50 of zirconium
	7440-67-7	dichloride oxide to Chlorella	to Danio rerio was greater		dioxide to Daphnia magna
		vulgaris was greater than	than 74.03 mg/L.		was greater than 74.03 mg
		102.5 mg of Zr/L.			of Zr/L.

Persistence and degradability

Bioaccumulation

Mobility

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and Disposal of wastes

regulations.

Disposal should be in accordance with applicable regional, national and local laws and Contaminated packaging

regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT Regulated UN/ID No.

Metal powder, flammable, n.o.s. (Zirconium Sponge) Proper shipping name

Hazard Class 4.1 **Packing Group** Ш

Special Provisions IB6, T1, TP33

Emergency Response Guide 170

Number

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Zirconium	X	X	X
7440-67-7			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16	OTHER	INFORMA	MOIT 4
10.	OHILK		- I I I I I I I I I I I I I I I I I I I

North America; English

Revision Date 13-Jan-2025

NFPA Health hazards 0 Flammability 1 Instability 0 **Physical and Chemical**

Properties -

HMIS Health hazards 1 Flammability 2 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend * = Chronic Health Hazard

Issue Date 28-May-2015 **Revision Date** 13-Jan-2025

Revision Note

SDS sections updated: 1, 7

Note:

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Safety data sheets and labels available at ATImaterials.com Additional information available

from: